

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

PATENT NO. : 6,830,928 <sup>51</sup>  
APPLICATION NO. : 09/380,106  
ISSUE DATE : December 14, 2004  
INVENTOR(S) : Goethals, et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 8, Line 52, "with a micro-organism" should be changed to "with a microorganism" C

Column 8, Line 5, "inactivating the micro-organism" should be changed to "inactivating the microorganism" /

Column 9, Line <sup>58</sup>6, "with a micro-organism" should be changed to "with a microorganism"

Column 10, Line 2, "micro-organism is" should be changed to "microorganism is"

Column 10, Line 9, "method of claim 2" should be changed to "method of claim 2,"

Column 10, Line 14, "micro-organism is" should be changed to "microorganism is" C

2392265

MAILING ADDRESS OF SENDER:

Che Swyden Chereskin, Ph.D.  
KNOBBE, MARTENS, OLSON & BEAR, LLP  
2040 Main Street, 14<sup>th</sup> Floor  
Irvine, California 92614

DOCKET NO. DECLE2.001APC

NOV 8 2005



UNITED STATES PATENT AND TRADEMARK OFFICE

---

Commissioner for Patents  
United States Patent and Trademark Office  
P.O. Box 1450  
Alexandria, VA 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

Date Mailed : March 16, 2006

Patent No. : 6,830,928 B1  
Inventor : Goethais et al  
Patent Issued : December 14, 2004  
Title : PLANT PROPAGATION AND GERMPLASM STORAGE  
Docket No. : DECLE2.001AP

Re: Request for Certificate of Correction

Consideration has been given your request for the issuance of a certificate of correction for the above-identified patent under the provisions of Rule 1.322.

Inspection of the file of the application for the patent reveals that column 10, line 9 of the specification is/are printed in accordance with the record in the Patent and Trademark Office, as passed to issue by the examiner. There being no fault on the part of the Patent and Trademark Office, it has no authority to issue a certificate of correction under the provision of 1.322.

In view of the foregoing, your request for certificate of correction is hereby denied. However, further consideration will be given these matters, upon receipt of a request for certificate of correction under the provisions of 1.323, accompanied by the appropriate fee which is presently \$100.

A certificate of correction will be issued to correct the error(s) noted in your request.

Future correspondence concerning this matter should be filed and directed to Decisions & Certificates of Correction Branch.

Commissioner of Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450  
Attn: Certificates of Correction Branch

David Irvine  
Cecilia Newman, Supervisor  
Decisions & Certificates of Correction Branch  
703/308-9590 or 703/305-4362 (Fax 703/273-9927)

Che Swyden Chereskin, Ph.D.  
Knobbe Martens Olson & Bear LLP  
2040 Main Street, 14<sup>th</sup> Floor  
Irvine, Ca. 92614

CBN/ di